REQUEST FOR QUOTATION (RFQ) No. 822-2024



Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Subject below.			
Purchase Request No.	DESCRIPTION/PARTICULARS		APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2024-10-412 (CBA)	SURVEILLANCE AND DETECTION EQUIPMENT		150,000.00
Purpose: for Security and Monitorin	ng Purposes.		
Philgeps Posting: Active Dat Closing Da	e: 10/16/24 ate: 10/22/29	Category: Reference	NO.: 113/3458
Interested suppliers are required to submit the following documents: Valid and Current Mayor's / Business Permit Proof of PhilGeps Registration Latest Income / Business Tax Omnibus Sworn Statement Brochure, if applicable			
 Bid Validity: 10 1/2 Delivery Site: Support (045) Warranty shall be 	calendar days from calendar days from submole calendar days from submole and Property Management Unit 606-8159 / (045) 982-2605 for a period minimum of three (3) after acceptance by the procuring earlier acceptance	ission of bio t, Tarlac Sta months of e	ds ate University expendable supplies, or a

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than <u>ID/22/24</u> at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at **tsucanvassing@gmail.com**

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

ELENA MAY T. TEOFILO Head, Procurement Unit

Form No.: TSU-PRO-SF-06 Revision No.: 06 Effectivity Date: March 5, 2020 Page 1 of 5

Date:	10/15/2024
RFQ No.	822-2024
PR No.	2024-10-412 (CBA)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		1.) 8 Units -2MP Full Color Fixed Focal Bullet			
1		Network Camera CCTV-Features		•	
ĺ		2MP, 1/2.8" CMOS image sensor, low illuminance, high image			
		definiton .Outputs max. 2MP (1920x1080) @25/30 fps			
		Abnormality detection: Moton detection, video tampering,			
		network disconnection, IP conflict, illegal access	i :		
]		12V DC/POE power supply IP67 protection			
1		Image Sensor: 1/2.8" CMOS			
		Max. Resolution 1920 (H) x 1080 (V)			
		ROM 16 MB			
ŀ		RAM 64 MB			
		Scanning System: Progressive			
]		Pan/Tilt/Rotation Range: Horizontal: 0° to 360° Vertical: 0° to			
- !		90° Rotation: 0 to 360			
		Lens Type: Fixed-focal			
1	set	Resolution 1080p (1920 x 1080); 1.3M(1280x960); 720p (1280	3		
		x 720); D1 (704x576/704×480); VGA (640 x 480); CIF			
		(352×288/352 x 240)			
		Network: RJ-45 (10/100 Base-T)			
		Network Protocol IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP, RTSP;			
[SMTP, FTP; DHCP, DNS, NTP; Multicast Interoperability ONVIF			
ļ		(Profile S/Profile T); CGI; P2P; Genetec			
		Power Supply 12V DC/PoE (802.3af) Protecton IP67			
		Casing: Metal + plastc			
i		Warranty: 1 year warranty			
		2) 1 Unit-8 Channel Network Video Recorder			
1		4.0 user interface, Security baseline 2.1 H.264, H.265, Smart			
		H.264+, and Smart H.265+. H.265 auto switch			
		Max. decoding capability: 8 x 1080p@30 fps. Supports			
1		adaptive decoding .Supports mainstream cameras of ONVIF	ľ		
1		and RTSP protocols P2P remote surveillance, video play on		Ì	

۷	۷	a	П	a	n	t١	/

The above-quoted price is inclusive of all costs and applicable taxes Very truly yours,

AUTHORIZED REPRESENT	TATIVE:
Signature	:
Printed Name	:
Date	
Company Name Registered	:
E-mail Address	:
Contact no.	:
BANK DETAILS:	
Bank Name	:
Bank Address	
Bank Account Name	
Bank Account Number	;

Form No.: TSU-PRO-SF-06 Revision No.: 06	Effectivity Date: March 5, 2020	Page 2 of 5	l
--	---------------------------------	-------------	---

Date:	10/15/2024
RFQ No.	822-2024
PR No.	2024-10-412 (CBA)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		mobile device • VGA/HDMI simultaneous video output, maximum resolution			
		of HDMI is 4K AI by Camera: Face detection, perimeter			
		protection, IVS, people counting, heat map, and SMD	j		
		Supports remote configuration and management of IPC, such			
		as setting parameters, getting information, and upgrading IPC			
		of the same model in batches			
		Main Processor: Industrial-grade embedded processor			
		OS: Embedded Linux			
ł		Access Channel: 8 Channels			
		Network Bandwidth: Access: 80 Mbps; Storage: 80 Mbps;			
		Forward: 60 Mbps			
		Resolution: 8MP; 6MP; 5MP; 4MP; 3MP; 1080p; 720p; D1			
		Decoding Capability: 8 x 1080p@30 fps			
		Video Output: 1 x VGA output, 1 x HDMI output, supports			
		simultaneous video sources output for VGA and HDMI			
}		Multi-screen Display: 1, 4, 8, 9 views			
		Multi-channel Playback: Up to 8 channels for playback			
		Record Mode: Manual record; alarm recording; SMD			
		recording; smart recording			
		Storage: Local HDD; network			
		External Port: 1 x RCA input, 1 x RCA output, 1 SATA III ports,			
		up to 10 T8 for a single HDD. T2 (1x front USB2.0; 1 x back			
		USB2.0) 1 x HDMI (supports up to 4K resolution output)			
1		1 x VGA			
		1 x RJ-45, 10/100 Mbps self-adaptive Ethernet port			
		POE: 8			
		Warranty: 1 year warranty			

Warranty

The above-quoted price is inclusive of all costs and applicable taxes Very truly yours,

ΑU	IHORIZED	REPRESENTATIVE:

Signature Printed Name	<u> </u>
_	·
Date :	·
Company Name Registered	:
E-mail Address	:
Contact no.	:
BANK DETAILS:	
Bank Name	:
Bank Address	
Bank Account Name	:
Bank Account Number	:

- 1			1		1
ł	Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 3 of 5	ı

Date:	10/15/2024
RFQ No.	822-2024
PR No.	2024-10-412 (CBA)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		3.) Unit - 8 Port Fast Ethernet Unmanaged POE Switch			
1 1		Intelligent PoE Management			
		Up to 300 m Long Range PoE Transmission			
		IEEE 802.3bt Standard Hi-PoE, Max. 90 W for One Port			
		4/8-Core Adaptive Power Supply with Less Power Loss			:
		6KV Surge Protection to Improve Reliability in Harsh			
		Environment			
		Ports: 1x 10/100 Mbps Hi-PoE port, 7 x 10/100 Mbps PoE			
		ports, and 2 x Gigabit R145 ports			
		Port Type: RJ45 port, full duplex, MDI/MDI-X adaptive			
		Working Mode: Standard mode (default); Extend mode			
		Standard: IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab,			
		and IEEE 802.3z			
l [Forwarding Mode: Store-and-forward switching			
1 1		MAC Address Table: 16 K			
		Switching Capacity: 5.6 Gbps			
		Packet Forwarding Rate: 4.166 Mpps			
		Internal Cache: 4 Mbits			
		Ports For Long-Distance Transmission: Ports 1 to 8			
		PoE Standard: Port 1: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt,			
		Ports 2 to 8: IEEE 802.3af, IEEE 802.3at			
! !		PoE Port: Ports 1 to 8			
1		Max. Port Power: Port 1: 90 W, Ports 2 to 8: 30 W			
		PoE Power Budget: 110 W			
		Warranty: 1 year warranty			
		4.) 1 Unit-2TB CCTV Hard Disk Drive			
		Interface: SATA 6 Gb/s			
j		Storage 2 Terabytes			
]		Cache (MB): 256MB			
]		Cameras Supported: Up to 64			
		Warranty: 1 year warranty			

Wa	rra	ntv
----	-----	-----

The above-quoted price is inclusive of all costs and applicable taxes Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature	:	
Printed Name	: '	
Date :		
Company Name Registered	:	
E-mail Address	:	
Contact no.	:	
BANK DETAILS:		
Bank Name	:	
Bank Address	:	
Bank Account Name	:	
Bank Account Number	:	

Form No.: TSU-PRO-SF-06 Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 5
--	---------------------------------	-------------

Date:	10/15/2024
RFQ No.	822-2024
PR No.	2024-10-412 (CBA)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		5.) 1 Box-CAT 6 UTP Cable	·		
		4 x 2 x 23 AWG CCA			,
1		HDPE Insulation	1 '		
		Unshielded Twisted Pairs			
		PVC Jacket			
		305 meters			
		6.) 1 Box - RI45 Connectors			
		Head: 8 Pins			
		Color: Clear			
		Application: RJ45 CAT6 Compatible with All the	1		
ŀ		routers/hubs/network			
		connections RJ45			
		8 Pins Network Cable Heads/Plugs			
		Gold Plated Leads for better data transmitting and Higher			
		signal Strength			
1		7.) 1 Unit - Display Monitor	-		
1		Screen size: 18.5 inches			
- 1		Aspect Raton: 16:9	1		
I		Response Time: 5ms			
		Optimum Resolution: 1366 x768@60Hz			
		VGA connectivity.			
		Warranty: 1 year warranty			
		Slim in Design			
		Other specification			
		Installation of equipment and rough-in materials included	1		
		Conduct testing with end user approval		ı	
		(2024)	_		

W	aı	ra	n	ty
---	----	----	---	----

Form No.: TSU-PRO-SF-06

AUTHORIZED REPRESENTATIVE:

The above-quoted price is inclusive of all costs and applicable taxes Very truly yours,

Signature	:	
Printed Name	:	
Date	:	
Company Name Registered		
E-mail Address	:	

Contact no. :

BANK DETAILS:

Bank Name

Bank Address

Bank Account Name

Bank Account Number	:

Effectivity Date: March 5, 2020

Page 5 of 5

Revision No.: 06



Central Portal for Philippine Government Procurement Oppurtunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

11363458

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Surveillance and Detection Equipment

Area of Delivery

Tarlac

Solicitation Number:	822-2024	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	
Category:	Security Surveillance and Detection Equipment	Sid Supplements	
Approved Budget for the Contract:	PHP 150,000.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	16/10/2024
		- Date Published	16/10/2024
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	15/10/2024 14:06 PM
	Philippines 2300 63-045-6068142	Closing Date / Time	22/10/2024 13:00 PM

Description

for Security and Monitoring Purposes.

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1		8 Units -2MP Full Color Fixed Focal Bullet Network Camera CCTV-Features 2MP, 1/2.8" CMOS image sensor, low illuminance, high image definiton .Outputs max. 2MP (1920x1080) @25/30 fps Abnormality detection: Moton detection.Please see the attached specs	3	Set	150,000.00

Other Information

The bidders must download the attached documents in the associated component section.

tsucanvassing@gmail.com

Created by

Tutchie Panlilio

Date Created

15/10/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2024 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap