



REQUEST FOR QUOTATION (RFQ) No. 259-2024

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2024-03-142 (PROCUREMENT)	VARIOUS PHOTOGRAPHIC PARTS, SUPPLIES AND ACCESSORIES	111,000.00
Purpose: Photographic Parts, Supplies, and Accessories APP 1st Quarter 2024		

Philgeps Posting: Active Date: 4/4/24 Closing Date: 4/10/24 Category: PHOTOGRAPHIC PARTS, SUPPLIES & ACCESSORIES Reference No.: 1671 RFQ B

Interested suppliers are required to submit the following documents:

- Valid and Current Mayor's / Business Permit
- Proof of PhilGeps Registration
- Latest Income / Business Tax Return
- Omnibus Sworn Statement
- Brochure, if applicable

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University (045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 4/10/24 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City.

Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ELENA MAE T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 259-2024
 PR No. 2024-03-142 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	unit	BATTERY, NP-FW50 Battery/Charge Capacity 1020 mAh Chemistry Lithium-Ion Output Voltage 7.4 VDC General.Dimension 1.2 x 0.8 x 1.8"" / 3.1 x 1.8 x 4.5cm Warranty 1 Year Manufacturer	4		
2	unit	BATTERY, USN1 BATTERY CHARGER FOR NP-FW50 5 VDC Input Power Powered by USB/Portable Bank/Solar Panel Simultaneous Charging of Two Batteries Reverse Polarity Protection Safeguards Against Short-Circuiting Battery Condition Monitoring Activation of Overly Discharged Cells Smart Charging Management System LCD Shows mAh, V, Battery Power Level Battery/Charger Output Voltage 8.4 VDC, 1000 mA General Compatibility Sony NP-FW50 Dimension 3.3 x 2.0 x 1.0"" / 85.0 x 50.0 x 26.5 mm	3		
3	unit	HANDY RECORDER, X/Y Stereo Mic New Layout of Integral Controls Record WAVs & MP3s up to 24-Bit / 96 kHz Records to microSD/SDHC 3.5mm Input/Output Jack Built- In Limiter and Low- -Cut Filter High-Speed USB 2.0 Connectivity Works as a USB Audio Interface Uses 2 AAA Batteries Accessories Display Monochrome LCD (96x64) with REC LED (red), 1.25"" / 3.2 cm Recording Time About 10 hours (alkaline batteries, built-in mic at 44.1 kHz / 16-bit) Recording/Reading Methods	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 259-2024
 PR No. 2024-03-142 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		microSD/SDHC (class 4 or higher, up to 32 GB) General Dimension 2.0 x 5.4 x 1.3"" / 5.0 x 13.8 x 3.2 cm Warranty 3 Months Power/Battery 2 x AAA batteries (alkaline, NiMH, or lithium) Battery 1 x AA or LR6 battery Up to 10 hours MP3, 9.5 hours			
4	unit	MEMORY CARD , ,128GB 170mb/s 128GB Storage Capacity UHS-I / V30 / U3 / Class 10 Max Read Speed: 170 MB/s Max Write Speed: 90 MB/s Min Write Speed: 30 MB/s Records Full HD, 3D, and 4K Video Built-In Write-Protect Switch Accessories Operating Temp -13 to 185°F/ -25 to 85°C Type UHS-I Memory Built-in Write-Protect Switch Yes Speed Class 10 Video Speed Class: V30 Storage Capacity 128 GB UHS Speed Class U3 Memory Card Type SDXC Data Transfer Read Speed: 170 MB/s Maximum (Burst) Write Speed: 90 MB/s Maximum (Burst) Write Speed: 30 MB/s Minimum	4		
5	unit	MICROPHONE , Portable 2.4G Wireless Lavalier Lapel Microphone System	2		
6	unit	TOUGH CASE , Photo Video Waterproof / Dustproof Trolley and Carry On Hard Case Weight: 5.75 kg Interior Length: 530mm Interior Width: 310mm Interior Depth: 200mm Exterior Length: 545mm Exterior Width: 345mm Exterior Depth: 225mm Material: PP Plastic with Infused Fiberglass, TSU-19 Resin IP67: Waterproof, Dustproof and Shockproof With Pick and Pluck Foam	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 3/25/2024
 RFQ No. 259-2024
 PR No. 2024-03-142 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
7	unit	TRIPOD , A2573FS4 S4 Video Head and AL Flip Lock Legs Kit Aluminum Alloy Legs + S4 Video Head 69.7" Maximum Height Weighs 5.8 lb, 8.8 lb Load Capacity QR6 Quick Release Plate Included Pan Bar Handle Integral Leveling Platform Anti-Rotation Leg System Three Adjustable Leg Angles Separate Pan and Tilt Drag Lock Levers Includes SuperUser Group Membership In the Box Benro A2573FS4 S4 Video Head and AL Flip Lock Legs Kit Aluminum Alloy Tripod Legs S4 Video Head 3 x Spike Feet and Tools Deluxe Carry Case and Strap	1		
8	unit	CAMERA , Optical Features / Specifications 35mm Film Equivalent Focal Length (mm) 35 Angle of View (Horizontal, vertical, diagonal) 4° 30', 37° 50', 63° 30' Lens Construction (Elements/Groups) 7/6 Number of Diaphragm Blades 7 Minimum Aperture 22 Closest Focusing Distance (m) 0.15 Maximum Magnification (x) 0.21 (at 22mm) Distance Information Provided Image Stabilizer OIS1 None AF Actuator STM Accessories Lens Hood EW-43 Lens Case/Pouch LP811 Specifications with 1.4x Extender Maximum Magnification - AF Possible - Image Stabilizer - Specifications with 2x Extender Maximum Aperture - Image Stabilizer - Physical Specifications Dust/Moisture Resistance Filter Diameter (mm)	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



PhilGEPS

Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10718593
Procuring Entity TARLAC STATE UNIVERSITY
Title Various Photographic parts, Supplies and Accessories
Area of Delivery Tarlac

Solicitation Number:	259-2024	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	3
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Photographic Parts, Supplies and Accessories	Date Published	04/04/2024
Approved Budget for the Contract:	PHP 111,000.00	Last Updated / Time	03/04/2024 08:52 AM
Delivery Period:	30 Day/s	Closing Date / Time	10/04/2024 13:00 PM
Client Agency:			
Contact Person:	Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac Philippines 2300 63-045-6068142 tsucanvassing@gmail.com		

Description

for office use
Line Items

Line Item	Description	Quantity	Unit	Amount
1	BATTERY NP-FW50 Battery/Charge Capacity 1020 mAh Chemistry Lithium-Ion Output Voltage 7.4 VDC General.Dimension 1.2 x 0.8 x 1.8" / 3.1 x 1.8 x 4.5cm Warranty 1 Year Manufacturer	4	Unit	16,000.00
2	BATTERY USN1 BATTERY CHARGER FOR NP-FW50 5 VDC Input Power Powered by USB/Portable Bank/Solar Panel Simultaneous Charging of Two Batteries Reverse Polarity Protection Safeguards Against Short-Circuiting Battery Condition Monitoring Ac	3	Unit	6,000.00
3	HANDY RECORDER X/Y Stereo Mic, New Layout of Integral Controls Record WAVs & MP3s up to 24-Bit / 96 kHz Records to microSD/SDHC 3.5mm Input/Output Jack Built-In Limiter and Low-Cut Filter High-Speed USB 2.0 Connectivity Works as a USB Audio Interface Uses 2 AAA	1	Unit	10,000.00
4	MEMORY CARD 128GB 170mb/s 128GB Storage Capacity UHS-I / V30 / U3 / Class 10 Max Read Speed: 170 MB/s Max Write Speed: 90 MB/s Min Write Speed: 30 MB/s Records Full HD, 3D, and 4K Video Built-In Write-Protect Switch Accessories Operating Temp -13 to 185°F/ -25	4	Unit	14,000.00
5	MICROPHONE Portable 2.4G Wireless Lavalier Lapel Microphone System	2	Unit	17,000.00

6	TOUGH CASE	Photo Video Waterproof / Dustproof Trolley and Carry On Hard Case Weight: 5.75 kg Interior Length: 530mm Interior Width: 310mm Interior Depth: 200mm Exterior Length: 545mm Exterior Width: 345mm Exterior Depth: 225mm Material: PP Plastic with Infused	1	Unit	8,000.00
7	TRIPOD	A2573FS4 S4 Video Head and AL Flip Lock Legs Kit Aluminum Alloy Legs + S4 Video Head 69.7" Maximum Height Weighs 5.8 lb, 8.8 lb Load Capacity QR6 Quick Release Plate Included Pan Bar Handle Integral Leveling Platform Anti-Rotation Leg System Three A	1	Unit	15,000.00
8	CAMERA	Optical Features / Specifications 35mm Film Equivalent Focal Length (mm) 35 Angle of View (Horizontal, vertical, diagonal) 4° 30', 37° 50', 63° 30' Lens Construction (Elements/Groups) 7/6 Number of Diaphragm Blades 7 Minimum Aperture 22 Closest Focus	1	Unit	25,000.00

Other Information

The bidders must download the attached documents in the associated component section.

Created by Tutchie Panlilio

Date Created 03/04/2024

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.